
SUP/SLAT aluminium

Modular Metal Slat System

Modular Construction • BCA Fire Group 1 • Weatherproof • Australian Made




SUPAWOOD.COM.AU



SUPASLAT Aluminium Slat Panel Modular Metal Slat Panel System Interior/Exterior

SUPASLAT Aluminium is a highly durable extruded aluminium slat panel system which is suitable for both interior and exterior applications. It is non-combustible to NCC 2019 C1.9 and AS1530.3, completely moisture resistant and available in acoustic options. Choose from a vast range of anodised, powder coated and external wood grain finishes.



Design Flexible Modular Metal Slat System




- Modular construction minimises on-site installation time
- Simple concealed fixing supplied for quick and easy installation
- > 99% Recyclable see Declare label
- > Weatherproof options


- > Wind loading engineering available
- Service zones available for lights or other services
- > Custom profiles available
- > Certified Red List free see Declare label

Backing Options

- > Open backing
- > 1mm Supabab for acoustic performance
- Non-combustible insulations

Standard SiZes Available in 3 standard sizes.









Declare. The Nutrition Label for Products

Declare.

Supawood Aluminium Products Supawood Architectural Lining Systems

Final Assembly: Bathurst NSW Australia Life Expectancy: 60 Year(s) End of Life Options: Recyclable (99%), Landfill (1%)

Ingredients:

Aluminium Decorative Section: Aluminum; Supabab, 7mm or 12mm: Polyethylene Terephthalate; Polyethylene; 9,10-Anthracenedione, 1,1-{(G-phenyl-1,3,5-triazine-2,4diyl)diimino]bis-; Anthra[2,1,9-def:6,5,10-d'e'f'] diisoquinoline-1,3,8,10(2H,9H)-tetrone, 2,9-bis(3,5-dimethylphenyl)-; C. I. Pigment Blue 15; C.I. Pigment Green 7; Carbon black; Titanium dioxide; Aluminium Fixing Section: Aluminum; Supabab, 2mm: Polyethylene Terephthalate; Powder coat: 1,3-Benzenedicarboxylic acid, polymer with 1,4benzenedicarboxylic acid and 2,2-dimethyl-1,3-propanedio]; Barium sulfate; C.I. Pigment Blue 28; Titanium dioxide; C.I. Pigment Yellow 42; Diethanolamine; Aluminum Oxide; Amorphous silica; C.I. Pigment Green 50; Carbon black; Micagroup minerals; Anodising; Aluminum Oxide; aluminum sulfate; Fasteners or clips: Steel; Plastic end caps: Polypropylene

Living Building Challenge Criteria: Compliant

I-13 Red List:

 LBC Red List Free
 % Disclosed: 100% at 100ppm

 LBC Red List Approved
 VOC Content: Not Applicable

 Declared
 VOC Content: Not Applicable

I-10 Interior Performance: CDPH Standard Method v1.2-2017 I-14 Responsible Sourcing: Not Applicable

SAL-0001 EXP. 01 DEC 2023 Original Issue Date: 2022

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare **Declare** helps you and your clients use sustainable materials by showing you:

- > Where a product comes from
- > What a product is made of
- > Where a product goes at the end of its life
- > If a product contains toxic ingredients

Why Declare?

Declare is the only label that combines material transparency and the Red List. It distills complex chemical ingredient information into an easy to read label. **Declare** helps you find and specify Red List Free products, which are healthy for people, the environment, and communities.

Benefits

- Quickly evaluate products to find the healthiest choice for you and your client
- Contribute to Green Star, Living Building Challenge, LEED, and WELL projects
- > Make a difference with every specification!


Want to know more about **Declare**? Visit https://living-future.org.au/declare/



SUP METAL ALUMINIUM

Solid Colour Finishes WARRANTY: Internal and External - 15 years Other powder coated colours are available on guantities over 50m². Internal Antimicrobial - 10 years Extra lead times and charges apply. Pearl White Matt Lunar Grey Matt Natural Shimmer Flat Matt Nobel Silver Pearl Scintillating Champagne Matt **Bronze Pearl Matt** Asteroid Pearl Matt Dark Grey Matt Monument MKII Satin Ebony Matt Flat Matt White Antimicrobial White Satin External Woodgrain D-Series (Textured) WARRANTY: Internal and External - 15 years NOTE: Only for slats, beams and panels up to 300mm wide. These textured woodgrain finishes address current trends by applying the amazing look and feel of natural timber to fully non-combustible and durable lining products. The result means you can apply this look anywhere, even in the harshest environments.

Grey Oak



White Oak





Applications

SUPASLAT Aluminium is suitable for endless applications inside and out: Commercial, Retail, Residential, Education or any place where a durable slatted effect is required.

Above:


Custom floating hexagonal feature panels at The Quarter, Casuarina Square, Darwin NT in Casuarina External Woodgrain.

Below left:

Custom rainbow pencil-shaped slats on the ceiling of the family zone at Woodside Petroleum, Perth.

Below right and cover:

Profile 1 slatted ceiling in anodised UA Satin Sandstone finish at the reception lounge at the Adina Apartments, Bondi NSW.



SUP/WOOD ARCHITECTURAL LINING SYSTEMS

SUPAWOOD HEAD OFFICE Australasian Support & Manufacturing Aus: +61 1800 002 123 NZ: +64 (0) 9887 3234 info@supawood.com.au SUPAWOOD UK

UK & EU Support & Manufacturing +44 (0) 3307 00 00 30 sales@supawood.co.uk